

## COMPOSITION

Wheat, Decorticated soybean (bean) flour\*, Barley, Calcium carbonate [limestone], Wheat bran, Monocalcium phosphate, Palm vegetable oil, Sodium chloride.

\*Modificado genéticamente; \*\*Producida a partir de habas de soja modificadas genéticamente.

## ADITIVES

### Vitamins

Vitamin A (3a672a)	28.800	UI/kg
Vitamin D3 (3a671)	9.000	UI/kg
Vitamin E (3a700)	18,00	mg/kg
Vitamin B1 (3a821)	1,79	mg/kg
Vitamin B2	12,59	mg/kg
Vitamin B6 (3a831)	1,79	mg/kg
Vitamin B12	36,00	Mcgr/kg
Vitamin K3 (3a710)	7,20	mg/kg
Folic Acid (3a316)	0,91	mg/kg
Niacin (3a314)	72,0	mg/kg
Betaine anhydrous (3a925)	660,0	mg/kg
Calcium pantothenate (3a841)	25,12	mg/kg

### Antioxidants

BHT (E-321)	400,0	mg/kg
-------------	-------	-------

### Binders

Sepiolite (E-562)	0,1600	%
-------------------	--------	---

## ANALITICAL CONSTITUENTS

Crude Protein	15,5 %	Crude Ashes	22,4 %	Sodium	0,25 %
Crude Fats	4,3 %	Calcium	6,15 %	Lysine	0,74 %
Crude Fiber	3,6 %	Phosphorus	1,30 %	Methionine	1,50 %

### Oligoelements

Iron-Fe. Ferrous carbonate (3b101)	200,0	mg/kg
Iodine-I. Potassium iodide (3b201)	8,00	mg/kg
Copper-Cu. Cupric sulphate pentahydrate (3b405)	20,0	mg/kg
Manganese-Mn. Manganous oxide (3b502)	260,00	mg/kg
Zinc-Zn. Zinc Oxide(3b603)	200,00	mg/kg
Selenium-Se. Sodium Selenate (E-8)	0,80	mg/kg

### Preservatives

Citric Acid (E-330)	1.380,0	mg/kg
Sodium Citrate (E-331)	40,0	mg/kg

### Amino acids

DL-Methionine 99 (3c301)	1,2905	%
--------------------------	--------	---

## HOW TO USE

Free range chickens, pheasants, laying hens and turkeys: Supplement the ration with 20 grams of VITAVEC.

Pigeons and partridges: Supplement with 10 grams of VITAVEC.

## FORMAT

Pellet.

## PRESENTATION

Rafia bag 10 KG.

## EXPIRATION

6 months from the date of manufacture. Keep in a cool and dry place.



## **i** Product Information

Complementary feed for all types of laying birds (hens, geese, ducks, partridges, quail, etc.). Contains an extra supply of protein and amino acids -fundamentally lysine and methionine-. It also provides enzymes that help better digest the nutrients of the cereals and their digestibility. Also minerals in various formats that are essential for laying birds. Especially recommended for birds that eat cereals directly and for hens with more than one year of laying. The dose for hens is 20 grams a day.